

DUMP INSERTS • TRAILER TONGUE BOXES

DUMPERDOGG™ PICKUP BED STEEL AND POLYMER DUMP INSERTS

NEW!



STEEL DUMP INSERTS

Shown with optional cab guard & tarp kit installed

PART NO.	DESCRIPTION
5531000	8 Foot Steel Insert
5531006	6 Foot Steel Insert
5532000	8 Foot Poly Insert
5531010	Bolt-On Cab Guard for 8 Foot and 6 Foot Steel Insert
5531020	Wall Extension Bracket Kit for 8' Steel Insert & 6' Steel Insert (hardware & 2 brackets per side), accepts one 2" x 12" per side**
5531050	Poly Wall Extensions for 5532000
DTR5508	Roll Tarp Kit, 5.4' x 9.5' for 5531006 ***
DTR5511	Roll Tarp Kit, 5.4' x 11.5' for 5531000 ***
DTR4510	Roll Tarp Kit, 4.6' x 10' for 5532000

* weight limits not to exceed manufacturers gross vehicle weight limits

** for use with 5531000, 5531006, must have 5531010 installed (2" x 12" not included)

*** must be used with 5531010



DUMP INSERTS

Shown with optional poly wall extensions & tarp kit installed

STEEL Standard Features

- Fits Most 8' and 6' Beds
- Power Up and Power Down
- 1.5Kw motor (3 HP max) for Hydraulic Pump
- 2 cu yd capacity (8'); 1.5 cu yd capacity(6')
- Payload capacity: 6,000 lbs. max*
- Dump Angle 0°– 45°
- 12 Gauge Steel Material (front, sides, floor)
- Black Powder Coat Finish
- Includes Manual Safety Bar
- Tethered Control Box with 9' Cord
- Grease Fittings/Holes in Pivot Points
- Includes Body-Up Indicator Kit (SK10)
- 20' Battery Cables
- Tailgate Chains
- Black Powder Coat Structural Steel Frame
- Double Pivoting and Removable Steel Tailgate
- 8 Stake Pockets
- 3/4" Diameter Tailgate Hinge Pins


POLYMER Standard Features

- Fits Most 8' Beds
- Power Up and Power Down
- 1.5Kw motor (3 HP max) for Hydraulic Pump
- 1.6 cu yd capacity
- Payload capacity: 6,000 lbs. max*
- Dump Angle 0°– 45°
- Double Wall Poly Construction
- Integral Steel Window Protector
- Includes Manual Safety Bar
- Tethered Control Box with 9' Cord
- Grease Fittings/ Holes in Pivot Points
- Includes Body-Up Indicator Kit (SK10)
- Tailgate Chains
- 20' Battery Cables
- Black Powder Coat Structural Steel Frame
- Double Pivoting and Removable Steel Tailgate
- 3/4" Diameter Tailgate Hinge Pins

TRAILER TONGUE TOOL BOXES



- Designed to mount to the front of A-Frame style trailers
- These toolboxes offer an easy way to add secure storage to your trailer
- Delta and Delta PRO brand boxes have a recessed hinge for flush mount operation.



Measuring Guide

PART NO.	MATERIAL	BRAND	A	B	C	D	E	F
1701680	Black Polymer	Buyers	36"	N/A	19"	18"	18"	N/A
1701685	Black Polymer	Unbranded	36"	N/A	19"	18"	17"	N/A
405000	Bright Aluminum	Delta	33"	16"	20"	17.5"	20.5"	16-3/8"
405002	Black Aluminum	Delta	33"	16"	20"	17.5"	20.5"	16-3/8"
410000	Bright Aluminum	Delta	48"	18"	25"	21.25"	21"	16-3/8"
416002	Black Aluminum	Delta PRO	48"	18"	25"	21.25"	21"	16-3/8"
422000	White Steel	Delta PRO	32-7/8"	16"	20"	17.25"	21"	16-3/8"
423000	White Steel	Delta PRO	48"	18"	25"	21.25"	21"	16-3/8"

NEW!

1701680
1701685




405000
410000



422000
423000



PERFORMANCE DESIGN ALUMINUM CROSSOVERS AND INNERSIDES





We're setting a new standard for Aluminum Truck Boxes New Performance Design Aluminum Crossover Boxes


- Lid reinforced with new RSL™ bolster for improved strength
- Adjustable lid strikers keep the lid locked down tight for improved security
- Body design resists cargo damage and protects the locking mechanism
- Leak-proof stainless steel paddle handles prevent moisture from entering
- Self-rising lids with dual gas spring lid lifts



These Innerside Boxes share following features of the Performance Crossovers including:

- Adjustable Lid Strikers to keep the lid locked down tight
- Body designed to resist cargo damage and protect the locking system
- Self-Rising Lid with heavy-duty, reliable gas spring lid lift
- Leak-Proof Stainless Steel Handles prevent moisture from entering
- Full-Weather Stripping creates a tight, moisture resistant seal
- Mounting Kit with high-strength support legs and hardware
- All models available with Diamond Black finish




<div></div>			Dimensions							Usable Cubic Feet	Shipping Cubic Feet	Approx. Shipping Weight Lbs.
Bright Model #	Black Model #	Size	A	B	C	D	E	F	G			
Single Lid Aluminum Crossovers												
1-300000	1-300002	Fullsize	69 1/8"	59 1/8"	14 1/4"	9"	17"	20 1/4"	70"	9.3	12.9	36.0
1-301000	1-301002	Deep Fullsize	69 1/8"	59 1/8"	17 1/4"	12"	17"	20 1/4"	70"	11.0	15.6	45.5
1-303000	1-303002	Super-Duty	72 1/8"	62 1/8"	14 1/4"	9"	17"	20 1/4"	73"	9.8	13.5	39.5
1-308000 • 1-308002 •		Deep Super-Duty	72 1/8"	62 1/8"	17 1/4"	12"	17"	20 1/4"	73"	11.6	16.2	43.5
1-304000	1-304002 •	Mid-Size	62 3/4"	50 1/2"	14 1/4"	9"	17"	20 1/4"	63 1/2"	7.9	11.7	36.0
Low Profile Single Lid Aluminum Crossovers												
1-302000 • 1-302002 •		Fullsize	69 1/8"	59 1/8"	14 1/4"	11 3/4"	17"	20 1/4"	70"	8.8	12.9	37.0
1-309000 • 1-309002 •		Super-Duty	72 1/8"	62 1/8"	14 1/4"	11 3/4"	17"	20 1/4"	73	9.3	13.5	41.5
1-310000 • 1-310002 •		Mid-Size	62 3/4"	50 1/2"	14 1/4"	11 3/4"	17"	20 1/4"	63 1/2"	7.0	11.7	36.0
Mid Lid Dual Lid Aluminum Crossovers												
1-306000 • 1-306002 •		Fullsize	69 1/8"	59 1/8"	14 1/4"	9"	17"	20 1/4"	70"	9.3	12.9	37.0
1-307000 • 1-307002 •		Mid-Size	62 3/4"	50 1/2"	14 1/4"	9"	17"	20 1/4"	63 1/2"	7.9	11.7	36.0
Aluminum Innersides												
1-312000	1-312002 •	49" Long Lid	47 3/4"	11"	5 3/8"	12 1/4"	8"	49 5/8"	13"	2.7	4.9	24.5
1-313000	1-313002 •	59" Long Lid	57 3/4"	11"	5 3/8"	12 1/4"	8"	59 5/8"	13"	3.2	5.9	30.0
1-314000	1-314002 •	72" Long Lid	71 1/8"	11"	5 3/8"	12 1/4"	8"	72"	13"	3.8	6.7	38.0

ALUMINUM SINGLE / DUAL LID CROSSOVERS ALUMINUM INNERSIDES



Delta PRO Aluminum Crossovers provide superior security for tools and equipment. The combination of our Gear-Lock™ Dual Rotary Locking System, RSL™ Rigid Structural Lid and our High-Strength Body will resist over 1,000 pounds of prying force to break in.

- Gear-Lock™ Self-Adjusting Dual Rotary Locking System always latches and closes for superior security.
- Self-Aligning Latch Pins pivot from side-to-side to engage with the Gear-Lock System. No adjustments required.
- High-Strength RSL™ Laminated 3-Layer Rigid Structural Lid is the strongest, most rigid aluminum lid we've tested.
- Reinforced High-Strength Body and Full-Width Lock Console resists cargo damage and protects the lock system.
- End-Mounted Push Buttons provide easy access. Lid locks and unlocks from either side for security and safety.
- Heavy-Duty Guards protect the vertical-action gas spring lid lifts and help ensure long-term durability.
- Built-in Storage Bin on both ends and 4-Compartment Sliding Tray for convenient hand tool and small item storage.




Bright Model #	Black Model #	Size	A	B	C	D	E	F	G	Usable Cubic Feet	Shipping Cubic Feet	Shipping Weight Lbs.
Low-Profile Single Lid Aluminum Crossovers												
PAC1357000	PAC1357002	Fullsize	70"	60 1/4"	15 1/8"	12 1/8"	17 7/8"	21"	71 1/8"	9.1		
PAC1360000	PAC1360002	Compact*	60 1/8"	36"	15 1/8"	8 1/8"	17 7/8"	21"	61"	6.5		
* Compact models have double notched sides to fit even the smallest compact truck.												
Single Lid Aluminum Crossovers												
PAC1580000	PAC1580002	Fullsize	70 1/8"	60 1/8"	14 1/4"	9"	20 1/4"	20 7/8"	71"	9.2	14.0	76.5
PAC1582000	PAC1582002	Deep Fullsize	70 1/8"	60 1/8"	17 1/4"	12"	20 1/4"	20 7/8"	71"	11.3		
PAC1584000	PAC1584002	Ford Super-Duty & Dodge RAM	73 1/8"	63 1/8"	14 1/4"	9"	20 1/4"	20 7/8"	74"	9.7		
PAC1585000	PAC1585002	Super Deep Fullsize	70 1/8"	60 1/8"	19 7/8"	14 5/8"	20 1/4"	21"	71"	13.0	20.1	83.0
PAC1587000	PAC1587002	Compact	60 1/8"	50 1/8"	11 1/4"	6"	20 1/4"	20 7/8"	61"	6.1		
PAC1589000	PAC1589002	Mid-Size	62 5/8"	52 5/8"	13 5/8"	8 3/8"	20 1/4"	20 7/8"	63 1/2"	8.0		
PAC1590000	PAC1590002	GM Stepside	56 1/2"	45"	14 1/4"	6"	20 1/4"	20 7/8"	57"	7.0	11.2	69.0
PAC1599000	PAC1599002	Deep & Extra-Wide Fullsize	70 1/8"	60 1/8"	17 1/4"	12"	24 1/4"	24 7/8"	71"	13.5	21.0	89.0
Mid-Lid Dual Lid Aluminum Crossovers												
PAC1596000	PAC1596002	Fullsize	70 1/8"	60 1/8"	14 1/4"	9"	20 1/4"	20 7/8"	71"	9.2	14.0	62.5
PAC1597000	PAC1597002	Compact	60 1/8"	50 1/8"	11 1/4"	6"	20 1/4"	20 7/8"	61"	6.1	9.1	55.0
Rear-Hinged Dual Lid Aluminum Crossovers												
PAC1598000	PAC1598002	Fullsize	70 1/8"	60 1/8"	14 1/4"	9"	20 1/4"	20 7/8"	71"	9.2	14.0	76.5
Aluminum Innersides												
PAN1441000	PAN1441002	48 1/2" Long Lid	47 3/4"	11"	5 3/8"	12 1/8"	7 7/8"	48 1/2"	13"	2.7	5.5	28.5
PAN1442000	PAN1442002	58 1/2" Long Lid	57 3/4"	11"	5 3/8"	12 1/8"	7 7/8"	58 1/2"	13"	3.2	6.6	32.0

ALUMINUM SINGLE LID CROSSOVERS



Delta CHAMPION Aluminum Crossovers provide superior security and weather-resistance for tools and equipment. The combination of our RSL™ Rigid Structural Lid, Heavy-Duty Adjustable Lid Strikers and High-Strength Body have created the quality standard for truck boxes in its class.

- RSL Laminated 3-Layer Rigid Structural Lid is the strongest, most rigid lid we've tested.
- Adjustable Lid Strikers lock the lid down tight for superior security.
- Reinforced Body resists cargo damage and protects the lock system.
- Gas Spring Lid Lifts raise the lid when unlatched for easier access.
- Leak-Proof Stainless Steel Paddle Handles prevent moisture from entering.
- Built-In Storage Bin on both ends and 4-Compartment Sliding Tray for convenient small item storage.
- Full Weather Stripping creates a tight, moisture resistant seal.



			Dimensions							Usable	Shipping	Approx.
Bright Model #	Black Model #	Size	A	B	C	D	E	F	G	Cubic Feet	Cubic Feet	Shipping Weight Lbs.
Single Lid Aluminum Crossovers												
232000	232002	Fullsize	70 1/8"	60 1/8"	14 1/4"	9"	20 1/4"	20 7/8"	71"	9.2	14.0	53.5
232070•	232072•	Fullsize with Lid Rail	70 1/8"	60 1/8"	16 3/8"	9"	20 1/4"	20 7/8"	71"	9.2	16.1	58.0
233000	233002	Deep Fullsize	70 1/8"	60 1/8"	17 1/4"	12"	20 1/4"	20 7/8"	71"	11.3		
233070•	233072•	Deep Fullsize with Lid Rail	70 1/8"	60 1/8"	19 3/8"	12"	20 1/4"	20 7/8"	71"	11.3	18.2	62.9
234000•	234002•	Ford Super-Duty & Dodge RAM	73 1/8"	63 1/8"	14 1/4"	9"	20 1/4"	20 7/8"	74"	9.7	14.6	56.5
234070•	234072•	Ford Super-Duty & Dodge RAM with Lid Rail	73 1/8"	63 1/8"	16 3/8"	9"	20 1/4"	20 7/8"	74"	9.7		
235000	235002	Compact	60 1/8"	50 1/8"	11 1/4"	6"	20 1/4"	20 7/8"	61"	6.1		
236000•	236002•	Mid-Size	62 5/8"	52 5/8"	13 5/8"	8 3/8"	20 1/4"	20 7/8"	63 1/2"	7.9		
237000•	237002•	Tundra	67 1/8"	57 1/8"	14 1/4"	9"	20 1/4"	20 7/8"	68"	8.7		
243000•	243002•	Super Deep Fullsize	71"	60 1/8"	19 7/8"	14 5/8"	20 1/4"	21"	71"	12.9	20.1	63.5
244000•	244002•	Deep & Extra-Wide Fullsize	70 1/8"	60 1/8"	17 1/4"	12"	24 1/4"	24 7/8"	71"	13.5	21.0	66.5
245000•	245002•	GM Stepside	56 1/8"	45"	14 1/4"	6"	20 1/4"	20 7/8"	57"	7.0	11.2	45.5
247000•	247002•	Deep Compact*	60 1/8"	35 7/8"	17 1/8"	11 7/8"	20 1/4"	21"	61 1/8"	9.1		

*Non-Stocking Item - Available By Special Order Only


HIGH SECURITY ALUMINUM SINGLE LID AND GULL WING CROSSOVERS

JOBBOX®



Self-Adjusting Rotary Gear-Lock II™ Locking System

New Twin-Cam Gear-Lock II™ Self-Adjusting Dual Rotary Lock System™ operates like a ratchet to lock the lid tight. The dual rotary gears engage the self-aligning latch hoop and provide increasing security. * Patent Pending




Self-Aligning Latch Hoop

New Self-Aligning Heavy-Duty Latch Hoop™ pivots from side-to-side to center the latch hoop in the **Gear-Lock II™** Dual Rotary Lock System. Eliminates the need for adjustments. * Patent Pending



Gas Spring Guards And 90° Lid Opening

New Heavy-Duty Gas Spring Guards protect the gas springs from damage and jamming. New **Posi-Lift™** gas spring lid lifts automatically raise the lid on single lid models and allow it to open up to 90°.




High-Strength, Deep Beveled Edge Lid

High-Strength Lid Design has a deep beveled edge. Body fits deeper inside the lid for superior weather protection. Aluminum Crossovers feature the 3-layer, laminated **RSL® Rigid Structural Lid**.



Built-In Storage Bin On Both Ends

Storage Bin located on both ends provide quick, easy access to small parts or tools. Bin walls add extra strength to the ends of the box.



Lift-Out Tool Tray

Exclusive, High-Strength Molded Tray includes two fixed compartments and three moveable dividers. Large, comfortable handle for carrying loaded tray.




PLUS . . .

- **Deep, Beveled Edge Laminated, Three-Layer RSL® Rigid Structural Lid** provides superior strength and security. A reversed beveled edge interior liner adds greater rigidity than a conventional flat lid liner. The top of the body fits deeper inside the deep lid for superior resistance to moisture.
- **Drill-Resistant Round Push Buttons** have high-strength lock cylinders. Auto-style double sided key for quicker, easier access.
- **Built-In Storage Compartments** help keep hand tools and small parts organized and easy to find.
- **Wide EPDM Live Cell® Automotive Bulb-Style Weather Stripping** seals out moisture and dust to protect the contents.

**5
YEAR
Limited Warranty***

- Fits Fullsize Ford, Chevrolet, Dodge, GMC Short and Long Wheelbase Wide Bed Trucks, Excluding Ford Super-Duty and F-150 Crew Cab models.
- Fits Ford Ranger, Chevrolet S-10, GMC S-15 and Sonoma, Dodge D-50, Toyota, Nissan, Mazda and all Compact Long and Short Wheelbase Trucks except Volkswagen. Also, fits Dodge Sportside and pre '92 Ford Flaresides.
- ▲ Fits Ford Super-Duty, GM H/D and Dodge Ram Trucks.
- ◆ Fits 8' Long bed Fullsize Ford, Chevrolet, Dodge and GMC Wide Bed Trucks excluding Ford Super-Duty and F-150 Crew Cab models.
- ▼ Fits Dodge Dakota, '04 Chevy Colorado and GMC Canyon, Chevrolet S-10, GMC S-15, GMC Sonoma and '97-C Ford Flareside Trucks.



Description	ClearCoat	Model # Black	Unpainted	A	B	C	D	E	F	G	Useable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
Aluminum Single Lid Crossovers													
■ Fullsize Deep	JAC1387980	JAC1387982	JAC1387983 •	70 1/8	60 1/8	18 7/8	12	20 1/4	21	72	10.7	17.7	75.0
◆ Fullsize Deep & Extra-Wide	JAC1389980	JAC1389982	JAC1389983 •	70 1/8	60 1/8	18 7/8	12	29 1/4	30	72	17.5	26.8	97.5
◆ Fullsize Super Deep	JAC1379980	JAC1379982	—	70 1/8	60 1/8	21 3/4	14 7/8	20 1/4	21	71 7/8	13.0	22.1	80.0
■ Fullsize Alternative Fuel	JAC1378980 •	—	—	70 1/8	60 1/8	12 3/4	5 7/8	20 1/4	21	71 7/8	6.2	13.1	67.0
▲ Deep Ford Super-Duty, GM H/D and Dodge Ram	JAC1388980	JAC1388982	—	73 1/8	63 1/8	18 7/8	12	20 1/4	21	75	12.5	19.7	79.0
● Compact	JAC1390980 •	JAC1390982 •	—	61	50	12 3/4	5 7/8	20 1/4	21	61	6.2	10.9	56.0
▼ Mid-Size	JAC1391980 •	—	—	63 1/8	52 1/2	15 1/8	8 1/4	20 1/4	21	64 1/8	8.0	11.5	70.0
Aluminum Gull Wing Crossovers													
■ Fullsize Deep	JAC1392980	JAC1392982 •	—	70 1/8	60 1/8	20 1/2	12	20 1/4	21	72	11.7	19.8	64.0
● Compact	JAC1393980 •	JAC1393982 •	—	60 1/4	50 1/8	14 1/2	7 1/2	20 1/4	21	62	9.9	17.2	55.0

TRUCK BOXES • UWS ALUMINUM CROSSOVERS




BRIGHT ALUMINUM & BLACK POWDER COATED* ALUMINUM SINGLE LID CROSSOVERS



Storage Solutions.
Tough. Reliable. USA Made.

The Single Lid Series from UWS is a lower-profile box with lids opening to a full 90 degrees; thus easily allowing it to be loaded with large and bulky items. Two super-duty lift cylinders help raise and hold the Structural Foamed Lid open. UWS boxes are built like vaults secure and sealed against the elements. Aluminum finish. Standard and Deep models available. **LBTA** models are for long bed trucks. **T100** models fit the Toyota T100. **SPLA** models fit the Ford Ranger Splash.



Steel Lock & Latch



HD Gas Cylinders




Divided Tool Trays




Foam Injected Lid

Use the chart below to find your UWS single lid box. Measurements indicated are in inches.
Use C1 & D1 (Height) measurements for standard model boxes.
Use C2 & D2 (Height) measurements for deep model (SD) boxes.

* Add BLK to the end of any model number below for Black Powder Coated.



Std. Model	Deep Model	A	B	C1	C2	D1	D2	E	F	Std. Cu. Ft.	Deep Cu. Ft.
TBS-72	TBSD-72	72	19.25	13.5	19.5	9.375	15.5	62	17	9.4	12.8
TBS-72-LBTA	TBSD-72-LBTA	72	27.5	13	17.75	9	13.75	62	25.25	13.0	17.3
TBS-69	TBSD-69	69	19.25	13.5	19.5	9.375	15.5	61	17	9.1	12.5
TBS-69-LBTA	TBSD-69-LBTA	69	27.5	13	17.75	9	13.75	61	25.25	12.7	16.9
TBS-69-T100	TBSD-69-T100	69	19.25	13.5	19.5	9.375	15.5	54	17	8.6	12.2
TBS-66	TBSD-66	66	19.25	13.5	19.5	9.375	15.5	54	17	8.3	12.1
TBS-63	TBSD-63	63	19.25	13.5	19.5	9.375	15.5	55	17	8.0	11.3
TBS-63-A	TBSD-63-A	63	19.25	13.5	19.5	9.375	15.5	55	17	7.6	9.0
TBS-60	TBSD-60	60	19.25	13.5	19.5	9.375	15.5	52	17	7.5	10.3
TBS-60-A	TBSD-60-A	60	19.25	13.5	19.5	9.375	15.5	52	17	7.2	8.0
TBS-58	TBSD-58	58	19.25	13.5	19.5	9.375	15.5	47	17	7.0	9.9
TBS-54	TBSD-54	54	19.25	13.5	19.5	9.375	15.5	46	17	6.8	9.5
TBS-54-SPLA	TBSD-54-SPLA	54	19	13	19	9.375	15	42	17	6.4	8.9





BRIGHT ALUMINUM GULL WING CROSSOVERS

The Gull Wing Series* from UWS is a strong lower-profile cross box which mounts on the pickup bed. Each side of this box has a sturdy lockable stainless steel latch. This new Gull Wing design has also virtually eliminated leaks commonly found in competitors Gull Wing Style boxes. Aluminum finish. Standard and Deep models available.

T100 models fit the Toyota T100. **SPLA** models fit the Ford Ranger Splash.

Use the chart below to find your UWS single lid box. Measurements indicated are in inches.
Use C1 & D1 (Height) measurements for standard model boxes.
Use C2 & D2 (Height) measurements for deep model (D) boxes.




Std. Model	Deep Model	A	B	C1	C2	D1	D2	E	F	Std. Cu. Ft.	Deep Cu. Ft.
TB-72	TBD-72	72	19.25	13.5	19.5	9.375	15.5	62	17	9.4	12.8
TB-69	TBD-69	69	19.25	13.5	19.5	9.375	15.5	61	17	9.1	12.5
TB-69-T100	TBD-69-T100	69	19.25	13.5	19.5	9.375	15.5	54	17	8.6	12.2
TB-66	TBD-66	66	19.25	13.5	19.5	9.375	15.5	54	17	8.3	12.1
TB-63	TBD-63	63	19.25	13.5	19.5	9.375	15.5	55	17	8.0	11.3
TB-60	TBD-60	60	19.25	13.5	19.5	9.375	15.5	52	17	7.5	10.3
TB-58	TBD-58	58	19.25	13.5	19.5	9.375	15.5	47	17	7.0	9.9
TB-54-SPLA	TBD-54-SPLA	54	19	13	19	9.375	15	42	17	6.4	8.9

STEEL CROSSOVERS • ALUMINUM & STEEL INNERSIDES

STEEL SINGLE / DUAL LID CROSSOVERS



All Delta Steel Crossovers include a 3-Compartment Sliding Tray for convenient storage of hand tools and small parts. Full Weather Stripping helps seal out moisture and dust. Tough Armor-Brite powder paint finish has superior rust resistance.



Model #	Size	A	B	C	D	E	F	G	Usable Cubic Feet	Shipping Cubic Feet	Shipping Weight Lbs.
Steel Gull Wing Dual Lid Crossovers											
901000	Fullsize	70"	60"	14 3/8"	9"	20"	20 5/8"	70 5/8"	9.0	15.0	81.0
902000 •	Compact	60"	50"	11 3/8"	6"	20"	20 5/8"	60 5/8"	5.8	10.6	66.0
Steel Single Lid Crossovers											
904000 •	Fullsize	70"	60"	14 3/8"	9"	20"	20 5/8"	70 5/8"	9.0	15.0	8
905000	Compact	60"	50"	11 3/8"	6"	20"	20 5/8"	60 5/8"	5.8	10.6	72.5
906000	Mid-Size	62"	52"	14 3/8"	9"	20"	20 5/8"	62 5/8"	7.8	13.5	7
922000	Deep Fullsize	70"	60"	17 3/8"	12"	20"	20 5/8"	70 5/8"	11.1	17.1	9

HIGH SECURITY ALUMINUM & STEEL INNERSIDES





All JOBBOX High-Security Innersides Boxes include these important features:



Plus, these other important features:

- Full-Length Storage Bin for storing frequently-used small parts or tools .
- Drill-Resistant Lock Cylinder resist being drilled out for superior security .
- Posi-Lift™ Gas Spring Lid Lift raises the lid when it is unlatched for easier access .
- EPDM Automotive-Style Bulb Weather Stripping seals out moisture and dust .



Length	ClearCoat	Model #		Dimensions shown in inches.							Useable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
		Black	Unpainted	A	B	C	D	E	F	G			
Aluminum Innersides													
47"	JAN1444980	JAN1444982 •	JAN1444983 •	46	13 3/4	6 7/8	14 3/4	8 1/2	46 3/4	14 3/8	2.9	6.5	36.5
58"	JAN1445980	JAN1445982 •	JAN1445983 •	57	13 3/4	6 7/8	14 3/4	8 1/2	57 3/4	14 3/8	3.6	7.9	41.5
Extra-Wide 47"	JAN1447980 •	JAN1447982 •	—	46	13 3/4	6 7/8	17	11 1/8	46 3/4	17 1/4	3.6	7.4	39.0
Extra-Wide 58"	JAN1448980 •	JAN1448982 •	JAN1448983 •	57	13 3/4	6 7/8	17	11 1/8	57 3/4	17 1/4	4.5	9.0	44.5
Steel Innersides White													
47"	JSN1505980	—	—	46	13 5/8	6 7/8	14 5/8	8 1/2	46 1/2	14 1/8	2.9	6.5	74.5
58"	JSN1506980 •	—	—	57	13 5/8	6 7/8	14 5/8	8 1/2	57 1/2	14 1/8	4.5	8.0	86.5
86"	JSN1507980 •	—	—	85	13 5/8	6 7/8	14 5/8	8 1/2	85 1/2	14 1/8	5.4	11.4	116.0
Extra-Wide 47"	JSN1509980 •	—	—	46	13 5/8	6 7/8	17 1/4	11 1/8	46 1/2	16 3/4	3.6	7.4	80.0
Extra-Wide 58"	JSN1510980 •	—	—	57	13 5/8	6 7/8	17 1/4	11 1/8	57 1/2	16 3/4	4.9	9.0	96.5

SIDEMOUNT / INNERSIDE • STEEL & ALUMINUM TOPSIDE BOXES

NEW!




Foam Injected Lid



Steel Lock & Latch



HD Gas Cylinders



ALUMINUM SIDE MOUNT BOXES

Tough Insulated Lids* and sturdy leg brackets make these boxes the choice for serious construction and maintenance use.

These boxes mount on the bed rail above the wheel well. They match the look and height of the Blue Label Series and have the tough UWS Foam Injected Lid.



Storage Solutions.
Tough. Reliable. USA Made.

W x D x H SIZE	PART #
36" x 11 1/4" x 11"	TBSM-36
48" x 11 1/4" x 11"	TBSM-48
60" x 11 1/4" x 11"	TBSM-60
72" x 11 1/4" x 11"	TBSM-72
96" x 11 1/4" x 11"	TBSM-96

STEEL TOPSIDE BOXES

- Large 14" tall door opening and the recessed door provide easy access to spacious storage area
- Full length stainless steel continuous hinge on doors offers a sturdy, durable and smooth performance
- Reinforced door backbone strengthens integrity of door and protects latch mechanism
- Rain channel and door gasket keep moisture and dust out
- 16-gauge steel box; 14-gauge steel doors
- Stainless steel folding T-handle with lock for security (two per door on 96")
- Optional trays require no drilling; easy to remove
- White or black powder coat finish
- All mounting hardware included
- Support legs mount directly into the bed floor, not into the fender
- Thick 3" wide rubber pad protects truck from scratches
- No drilling in side rails; J-bolts fasten under bed lip




Optional Trays Available

H x D x W SIZE	COLOR	WEIGHT	PART #
16" x 13" x 72"	White	115 lbs.	1702840
16" x 13" x 72"	Black	115 lbs.	1702940
16" x 13" x 88"	Black	120 lbs.	1702950
16" x 13" x 88"	White	120 lbs.	1702850
16" x 13" x 96"	White	128 lbs.	1702860
16" x 13" x 96"	Black	128 lbs.	1702960


ALUMINUM TOPSIDE BOXES

- Large door opening and recessed door frame provide easy access
- Full-length continuous hinge on doors offers a sturdy, durable and smooth performance
- Heavy-duty steel support legs mount directly into bed floor, not into fender
- Contractor grade bright diamond tread aluminum box
- Thick 3" wide rubber pad protects truck side rail
- No drilling in side rail; J-bolts fasten under bed lip
- Stainless steel folding T-handle with lock for security
- Full-weather stripping keeps moisture and dust out



H x D x W SIZE	WEIGHT	PART #
16" x 13" x 72"	69 lbs.	1701551
16" x 13" x 88"	82 lbs.	1701556
16" x 13" x 96"	87 lbs.	1701561
18" x 16" x 90"	90 lbs.	1701565
18" x 16" x 96"	96 lbs.	1701568

NEW!



ALUMINUM TOPSIDE BOXES

UWS Topsiders are redesigned for even better strength and weatherproofing. Heavier gaskets and a unique "water channel" front opening protects contents from the elements.



Storage Solutions.
Tough. Reliable. USA Made.


W x D x H SIZE	PART #
48" x 13 1/4" x 17"	TBTS-48
60" x 13 1/4" x 17"	TBTS-60
72" x 13 1/4" x 17"	TBTS-72
90" x 13 1/4" x 17"	TBTS-90
96" x 13 1/4" x 17"	TBTS-96

HIGH SECURITY ALUMINUM & STEEL TOPSIDES

All JOBOX High-Security Topside Boxes include these important features:




Three-Point Locking System



Three-Point Locking System secures each door at top and both sides to resist pry bar. System draws the door tightly against the weather stripping.

High-Strength, Rigid Doors



Formed C-Channel Top and Edges provide superior strength and rigidity. Locking rod covers on each door add extra strength and rigidity.

Tall, Reinforced Door Frames



12" Tall Recessed, Reinforced Door Frames are designed for superior strength and security. 12" tall openings offer easy access to load and unload larger items.

Full-Length Piano Hinges



Full-Length Piano Hinge on each door provide extra strength and security against break-ins. Hinges give long-term durability, reliable service.

Rotating T-Handles



Rugged Polished Stainless Steel Rotating T-Handle features superior reinforced cam lock, sealed dish and double bit key cylinder for easier operation.

High-Strength Door Cables



Coated Galvanized Steel Aircraft Cable Door Supports pivot on stainless steel shoulder rivets for easy operation. Door supports 300 lb. load.



Mounting Kit Included

Heavy-Duty L-Shaped Steel Legs provide high-strength support on rear corners. Comes with all mounting hardware.

Plus these features:

- New High-increase capacity.
- Fully-Welded, Reinforced Heavy-Duty Construction produces the extra strength for rugged, on-the-job use and long-term reliability.
- EPDM Automotive-Style Bulb Weather Stripping surrounds the door opening to seal out moisture.



100 Gauge Aluminum




14 Gauge Steel

FITMENT

Topsides mount on top of the truck bed side walls of most trucks. Measure the space available on the side wall to determine the length of a Topside you can use on your truck.

TOPSIDE MEASUREMENTS



ALUMINUM TOPSIDES

Length	ClearCoat	Model # Black	Unpainted	A	B	C	D	E	Useable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
Standard-Capacity Topsides											
47"	857980	857982 •	857983 •	47	13 3/16	16 11/16	40 1/16	12	5.4	6.1	44.0
72"	866980	866982	866983 •	72	13 3/16	16 11/16	30 1/16	12	8.4	10.6	59.0
87"	868980	868982	868983 •	87	13 3/16	16 11/16	37 9/16	12	10.1	12.6	77.0
96"	869980	869982	869983 •	96	13 3/16	16 11/16	42 1/16	12	11.3	14.0	78.0
High-Capacity Topsides											
47"	543980	543982	543983 •	47	16	18 11/16	40 1/16	14	7.1	8.1	50.5
65"	544980	544982	544983 •	65	16	18 11/16	26 9/16	14	9.9	11.2	68.5
87"	545980	545982	545983 •	87	16	18 11/16	37 9/16	14	13.2	15.1	87.5

STEEL TOPSIDES

Length	White	Model # Black	A	B	C	D	E	Useable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
Standard-Capacity Topsides										
47"	550980 •	550982 •	47	13 3/16	16 9/16	40 3/8	12 1/4	5.1	6.1	83.5
65"	551980 •	551982 •	65	13 1/2	16 9/16	26 13/16	12 1/4	7.1	8.4	112.0
72"	876980	876982	72	13 1/2	16 9/16	30 3/8	12 1/4	8.4	10.6	124.5
78"	877980	877982	78	13 1/2	16 9/16	33 3/8	12 1/4	9.2	11.4	131.5
87"	878980	878982 •	87	13 1/2	16 9/16	37 9/16	12 1/4	10.1	12.6	145.5
96"	879980	879982	96	13 1/2	16 9/16	42 3/8	12 1/4	11.3	14.0	158.0
High-Capacity Topsides										
47"	552980 •	552982 •	47	15 11/16	18 9/16	40 3/8	14 1/4	6.8	8.1	92.5
65"	553980 •	553982 •	65	15 11/16	18 9/16	26 13/16	14 1/4	9.5	11.2	127.5
87"	554980	554982	87	15 11/16	18 9/16	37 13/16	14 1/4	12.6	15.1	165.0

TRUCK BOXES - UNDERBODY BOXES



ALUMINUM & STEEL UNDERBED BOXES

DELTA[®] PRO

An extended rain gutter channels water around the outside of the door opening.

Durable weather stripping forms a tight seal to prevent moisture from entering.

3-Point Locking System draws the door tight against the weather stripping surrounding the door opening. It locks the door at the top and on both sides.



- High-Strength Hinges stand up to heavy use and attempted break-ins.
- 3-Point Locking System locks the door at the top and on both sides for greater strength.
- Extra Heavy-Duty Construction withstands the toughest conditions for long-term use.
- Rotating Stainless Steel Handle is leak-proof to prevent moisture from entering.
- Plastic Coated Galvanized Steel Aircraft Cable Door Supports are mounted on stainless steel shoulder rivets to prevent twisting. Opened door will support a 300-pound load.
- Automotive EPDM Bulb-Style Weather Stripping forms a moisture-proof seal between the rain gutter and interior of the door.

Model #	Finish	Size	A	B	C	Shipping Cubic Feet	Approx. Shipping Weight Lbs.
Aluminum Underbed Boxes							
407000	Bright	24" Long	24"	18"	18"	5.4	40.0
408000	Bright	36" Long	36"	18"	18"	8.0	48.0
409000	Bright	48" Long	48"	18"	18"	10.7	61.0
Steel Underbed Boxes							
332000 •	Black	24" Long	24"	18"	18"	5.4	68.0
333000 •	Black	30" Long	30"	18"	18"	6.7	80.0
334000 •	Black	36" Long	36"	18"	18"	8.0	92.0
335000 •	Black	48" Long	48"	18"	18"	10.7	117.0
336000 •	Black	60" Long	60"	18"	18"	13.3	142.0
465000	White	24" Long	24"	18"	18"	5.4	68.0
466000 •	White	30" Long	30"	18"	18"	6.7	80.0
467000 •	White	36" Long	36"	18"	18"	8.0	92.0
468000	White	48" Long	48"	18"	18"	10.7	117.0
469000	White	60" Long	60"	18"	18"	13.3	142.0

HEAVY GAUGE ALUMINUM & STEEL UNDERBODIES

Extra-Duty Steel Underbed Boxes

Rugged 12-Gauge, Reinforced Cold-Rolled Steel Doors
MIG-Welded, Reinforced 14-Gauge Steel Bodies

Extra-Duty Aluminum Underbed Boxes

Rugged, High-Strength .100-Gauge Aluminum Construction

Jobox Underbed Boxes Include These Features

Three-Point Locking System:

Three-Point Locking System secures the door at top and both sides to resist pry bar entry. Guards protect the locking mechanism and locking rods from damage.

Industrial Grade Steel Hinges:

Steel Models Have Rugged 3" Long, 7/8" OD Steel Hinges with full 1/2" diameter stainless steel hinge pins for strength.

Surround Rain Gutter w/ Auto-Style Bulb Weather Stripping:

3/4" Wide Rain Gutter surrounds the door opening and channels moisture around the opening. Heavy-Duty EPDM Closed-Cell, Bulb-Shaped Weather Stripping provides a superior seal.

Commercial Rotating T-Handle:

Polished Stainless Steel and Chrome w/ reinforced cam lock, sealed dish and double bit ket cylinder for easier operation.

Reinforcing Cross-Hatch Pattern



Formed Cross-Hatch Pattern adds extra strength to the high-strength, heavy-duty door.

MODEL #	L	H	D	Shipping
Dimensions shown in inches. Wt. Lbs.				
14" H Black Underbed Boxes				
727980 •	24	14	12	49
728980 •	36	14	12	67
729980 •	24	14	16	55
731980 •	36	14	16	76
18" H x 18" D Black Underbed Boxes				
732980 •	18	18	18	55
733980 •	24	18	18	68
734980 •	30	18	18	80
735980 •	36	18	18	92
738980 •	48	18	18	117
739980 •	60	18	18	142
740980 •	72	18	18	168
24" H x 24" D Black Underbed Boxes				
748980 •	24	24	24	94
749980 •	30	24	24	110
750980 •	36	24	24	126
752980 •	48	24	24	158
754980 •	60	24	24	190

JOBOX[®]

MODEL #	L	H	D	Shipping
Dimensions shown in inches. Wt. Lbs.				
14" H Aluminum Underbed Box				
755980 •	24	14	12	25
18" H x 18" D Aluminum Underbed Boxes				
756980 •	18	18	18	35
757980 •	24	18	18	40
758980 •	30	18	18	44
759980 •	36	18	18	48
761980 •	48	18	18	61
762980 •	60	18	18	74
24" H x 24" D Aluminum Underbed Boxes				
764980 •	24	24	24	56
765980 •	30	24	24	60
766980 •	36	24	24	65
767980 •	48	24	24	82
768980 •	60	24	24	98

MODEL #	L	H	D	Shipping
Dimensions shown in inches. Wt. Lbs.				
18" H x 18" D White Underbed Boxes				
741980 •	18	18	18	55
742980 •	24	18	18	68
743980 •	30	18	18	80
744980 •	36	18	18	92
745980 •	48	18	18	117
746980 •	60	18	18	142
747980 •	72	18	18	168



TRUCK BOXES - UNDERBODY BOXES

ALUMINUM, T-HANDLE LATCH



- .100 mil polished diamond tread aluminum • Recessed/beveled door • Rain channel design
- Reinforced door backbone strengthens the door and protects the latch mechanism
- 1/2" door gasket • Continuous hidden hinge is watertight
- Stainless steel locking T-handle latch (2-latches on 48" and 60" boxes)
- Replaceable doors • Doors interchangeable with steel boxes

H x D x W SIZE	# LATCHES	WEIGHT	PART #
18" x 24" x 48"	2	58 lbs.	1705120
18" x 18" x 18"	1	28 lbs.	1705101
18" x 18" x 24"	1	30 lbs.	1705100
18" x 18" x 30"	1	38 lbs.	1705103
18" x 18" x 36"	1	40 lbs.	1705105
18" x 18" x 48"	2	50 lbs.	1705110
18" x 18" x 60"	2	62 lbs.	1705115
14" x 12" x 24"	1	23 lbs.	1705150
14" x 16" x 24"	1	25 lbs.	1705160
24" x 24" x 48"	2	75 lbs.	1705140
24" x 24" x 60"	2	86 lbs.	1705145
24" x 24" x 24"	1	45 lbs.	1705130
24" x 24" x 30"	1	52 lbs.	1705133
24" x 24" x 36"	1	65 lbs.	1705135



BLACK, STAINLESS STEEL T-HANDLE LATCH



- 14-gauge steel box, 12-gauge steel door (12-gauge steel box, 12-gauge steel door on 66" toolboxes). • Recessed/beveled door. • Rain channel design.
- 1/2" door gasket. • Stainless steel continuous hinge is watertight and rustproof.
- Reinforced door backbone strengthens the integrity of the door and protects the latch mechanism. • Stainless steel locking T-handle latch. • Replaceable doors.
- No. 1702325 features double doors. • Powder coated for corrosion resistance.

H x D x W SIZE	# LATCHES	WEIGHT	PART #
14" x 16" x 36"	1	71 lbs.	1703305
16" x 14" x 18"	1	40 lbs.	1703330
14" x 12" x 24"	1	48 lbs.	1703350
14" x 16" x 24"	1	56 lbs.	1703300
14" x 16" x 30"	1	65 lbs.	1703303
18" x 18" x 24"	1	67 lbs.	1702300
18" x 18" x 30"	1	80 lbs.	1702303
18" x 18" x 36"	1	92 lbs.	1702305
18" x 18" x 36" Polyethylene Box	1	31 lbs.	1717105
18" x 18" x 48"	2	118 lbs.	1702310
18" x 18" x 60"	2	143 lbs.	1702315
18" x 18" x 66"	2	186 lbs.	1702317
18" x 18" x 72"	2 (2 doors)	156 lbs.	1702325
18" x 24" x 48"	2	133 lbs.	1708310
24" x 24" x 24"	1	87 lbs.	1704300
24" x 24" x 30"	1	100 lbs.	1704303
24" x 24" x 36"	1	116 lbs.	1704305
24" x 24" x 48"	2	145 lbs.	1704310
24" x 24" x 60"	2	175 lbs.	1704315



POLY BOX, T-HANDLE LATCH

UNDERBODY MOUNTING BRACKETS



- Constructed of heavy duty 3" C-channel A-36 steel • Black powder-coated for corrosion resistance • Universal hole pattern for quick and easy mounting

DESCRIPTION	WEIGHT	PART #
18" x 18" Universal Underbody Brackets, Welded Braces	24 lbs.	1701005
18" x 24" Universal Underbody Brackets, Welded Braces	27 lbs.	1701010
24" x 24" Universal Underbody Brackets, Welded Braces	32 lbs.	1701015





TRUCK BOXES - UTILITY CHESTS

ALUMINUM PORTABLE UTILITY CHESTS



All models have a Recessed Hinge allowing the lid to fully open when the chest is against the bed wall.
The reinforced lid and adjustable strikers provide superior security.
Full Weather Stripping and Leak-Proof Paddle Handles Design protect the contents from moisture.
49" and 57" Long Models are also available with Diamond Black finish.



- Wide Lifting Handles are easy to grip and will support heavy loads.
- Rugged Adjustable Strikers adjust vertically and horizontally to keep the lid locked down tight.
- Large Pan Bolsters reinforce the beveled edge lids for improved rigidity and strength.
- Leak-Proof Stainless Steel Paddle Handles prevent moisture from getting inside.
- Gas Spring Lid Lifts automatically raise the lids for easier access.
- Full Weather Stripping creates a tight seal against moisture and dust.

DELTA			Dimensions					Usable Cubic Feet	Shipping Cubic Feet	Approx. Shipping Weight Lbs.
Bright Model #	Black Model #	Size	A	B	C	D	E			
Aluminum 220 Series Portable Chests										
220000 •	-	37" Long	37"	36"	14 1/2"	18"	20"	5.4	7.1	33.0
221000	221002 •	49" Long	49"	48"	18"	18"	20"	9.9	11.7	43.0
222000 •	222002 •	57" Long	57"	56"	18"	18"	20"	11.6	13.5	50.0




ALUMINUM PORTABLE UTILITY CHESTS ALUMINUM CHESTS FOR 4-DOOR QUAD CABS



These Chests sit on the bed floor and do not extend above the bed side walls. They can be used with tonneau covers. The tapered bottom sections on the ends and front wall allow the chest to fit in the best location.

Unique Chests for 4-door trucks provide extra-wide storage space. Chest sits on the bed floor between the wheel wells. The top of the Chest is flush or below the side walls. Ends of Chest extend over the wheel wells providing extra storage.

- RSL Laminated 3-Layer Rigid Structural Lid is the strongest, most rigid lid we've tested.
- Adjustable Lid Strikers lock the lid down tight for superior security.
- Reinforced Body resists cargo damage and protects the lock system.
- Gas Spring Lid Lifts raise the lid when unlatched for easier access.
- Leak-Proof Stainless Steel Paddle Handles prevent moisture from entering.
- Full Weather Stripping creates a tight, moisture resistant seal.
- All models available with Diamond Black finish.



			Dimensions							Usable Cubic Feet	Shipping Cubic Feet	Approx. Shipping Weight Lbs.
Bright Model #	Black Model #	Size	A	B	C	D	E	F	G			
Aluminum Chests For 2-Dr. Standard and Extended Cab Trucks												
350000	350002	Long-Bed Fullsize	61"	61 1/8"	19 3/8"	20 5/8"	20 1/8"	-	-	12.1		
354000	354002	Short-Bed Fullsize	54 7/8"	54"	18 7/8"	21"	20 1/8"	-	-	10.4		
355000	355002	Compact	46 7/8"	46"	16"	17"	17 1/8"	-	-	6.3		
Aluminum Chests For 4-Dr. Quad Cab Trucks												
369000	369002	Fullsize	60 1/8"	46 1/2"	19 1/8"	12"	20 1/4"	20 5/8"	61"	10.3	15.7	48.5
368000	368002	Mid-Size	53 1/8"	39"	15 5/8"	11 7/8"	20 1/4"	20 5/8"	54"	7.0	11.8	42.5



STEEL UTILITY CHESTS AND WHEEL WELL BOXES



Delta Steel Chests are made of 16-gauge steel and have reinforced lids for improved strength and security. Tough Armor-Brite Bright White Powder Paint finish has superior rust resistance.




- Self-Rising, Reinforced Lid has dual gas spring lid lifts for easier access.
- Tapered Lower Front Wall will fit better in trucks with all types of bed liners.
- 3-Compartment Sliding Tray provides convenient storage for hand tools and parts.
- Bottom Bolsters raise the chest above standing water.
- Full Weather Stripping helps seal out moisture and dust.



Dimensions										Usable Cubic Feet	Shipping Cubic Feet	Approx. Shipping Weight Lbs.
Model #	Size	A	B	C	D	E	F	G	H			
Steel Chests for Trucks												
807000	Fullsize	59 1/8"	58 1/2"	19"	20 1/2"	20 1/8"	-	-	-	10.2	15.7	1
819000	Compact	46 5/8"	46"	16 3/4"	20 1/2"	20 1/8"	-	-	-	3.4	11.4	1
Steel Portable Utility Chests												
810000	Lock-Down Hopper Chest With Mounting Brackets	32 5/8"	32"	12 3/4"	11 1/4"	10 3/4"	-	-	-	2.2	3.1	31.5
814000 •	32 5/8" Long	32 5/8"	32 1/8"	13"	14 3/4"	14 3/8"	-	-	-	3.4	4.2	:
815000	48 1/2" Long	48 1/2"	48 1/8"	18 3/4"	21 3/4"	21 1/8"	-	-	-		10.5	
Steel Wheel Well Boxes												
850000	48" Wheel Well	48"	21 3/4"	16 5/8"	21 3/4"	10"	8"	48 1/2"	8 3/8"	10.5	6.3	
851000	60" Wheel Well	60"	21 3/4"	26 5/8"	21 3/4"	10"	8"	60 1/2"	8 3/8"	10.5	7.6	54.5

Delta Lock-Down Hopper Chest includes two mounting brackets. An internal mechanism locks the chest on the brackets. Release the mechanism to move it. Mounting brackets are reusable. Turn the locking mechanism to release the Chest from the mounting brackets to move or relocate it. Model 814000 and 815000 Delta Steel Chests will also fit in most truck beds. They have reinforced lids and cam-style locks for improved security. Locking arms to hold the lid open for easier access.




- 18-gauge Steel Construction with fully welded seams and formed edges.
- Reliable Push Button Latch releases on Models 814000 and 815000.
- Sliding Tray provides convenient storage for small items.
- Full Weather Stripping.
- Tough Armor-Brite White Powder Paint finish has superior rust resistance.



STRUCTURAL FOAM CROSSOVERS



Delta Structural Foam Crossovers have a contoured and sculptured design that looks great on any truck. These Crossovers are guaranteed against defects in material and workmanship for life. The tough, durable material has reinforcing ribs and will not sag in the coldest or hottest environments.



		Dimensions								Approx. Shipping Weight Lbs.
Model #	Size	A	B	C	D	E	F	Usable Cubic Feet	Shipping Cubic Feet	
Structural Foam Crossovers										
203000 •	Fullsize	70"	58"	15 1/8"	9"	15 3/8"	20 5/8"	8.0	12.7	57.5
204000	Compact	60"	48"	15 1/8"	9"	15 3/8"	20 5/8"	6.0	10.8	50.5